ARM5300-150 Shower column

ARM5300 Chrome

Article Number

ARM5300 Chrome - 9426683 ARM5300 Matte Black - 9426684 ARM5300 Brass - 9426685 ARM5300 Copper - 9426686 ARM5300 Bronze - 9426687 ARM5300 Black Chrome - 9426688 ARM5300 Honey Gold - 9426689 ARM5300 Brushed Black Chrome - 9426690 ARM5300 Brushed Nickel - 9426691

Shower system with pressure balanced thermostatic mixer, diverter in handle.



Cleaning

Wipe the surface with a soft cloth and lukewarm water and possibly with soap solution. Avoid alkaline, acid-liming or abrasive cleaners.

Brass is a material that over time gets a beautiful patina but can be polished with brass polish. Copper also gets patina but should not be polished. The other shiny surfaces retain their luster.

Decalcification

Aerators and shower handles should be regularly decalcified by placing them in a vinegar bath for a couple of hours. Should limescale stains occur, use eucalyptus oil and a soft cloth.


Lubrication

Lubricate only with silicone grease.

Maintenance

Visit our YouTube channel \rightarrow where there are instructional videos for changing the ceramic cartridge, changing aerators and more.


Drawing - PDF



Flowcart

FLOWCHART

ARM5300-150



DATA

| Pressure (kPa) | Showerhead | | Handshower | |
|----------------|--------------|------------|--------------|------------|
| | Flow lit/min | Flow lit/s | Flow lit/min | Flow lit/s |
| 50 | 6,0 | 0,10 | 5,7 | 0,10 |
| 100 | 8,4 | 0,14 | 8,3 | 0,14 |
| 200 | 11,8 | 0,20 | 12,4 | 0,21 |
| 300 | 12,2 | 0,20 | 15,5 | 0,26 |
| 400 | 12,6 | 0,21 | 18,2 | 0,30 |
| 500 | 12,9 | 0,21 | 20,6 | 0,34 |
| 600 | 13,1 | 0,22 | 22,8 | 0,38 |
| 700 | 13,0 | 0,22 | 24,8 | 0,41 |
| 800 | 12,8 | 0,21 | 26,3 | 0,44 |
| 900 | 12,4 | 0,21 | 27,9 | 0,47 |
| 1000 | 12,2 | 0,20 | 28,6 | 0,48 |